

Standing guard since 1889.™

RED-BRAND®



The most respected line of fencing
products for farm, ranch and home

The premium line of agricultural fencing products, Red Brand reigns as the most recognized brand of farm fence in the United States. Since 1889, Red Brand has been standing guard with top quality, American-made fence for a wide variety of applications. It's the product of choice for anyone—full-time rancher, farmer or part-time enthusiast—selecting the best in farm fence.



| Red Brand CONTENTS | PAGE |
|---|-----------|
| Fence Families, Knots, Guides & Tables | 3 / 4 |
| Field Fence | 5 / 6 / 7 |
| Horse Fence | 8 |
| Sheep & Goat Fence | 9 |
| Deer & Wildlife Fence | 10 |
| Barbed Wire & Electric Fence Wire | 11 |
| Smooth Wire | 12 |
| Stockade Panels | 13 |
| Poultry Netting | 14 |
| Specialty Application | 15 |
| Utility Fence | 16 |
| Welded Wire | 17 / 18 |
| Fence Posts & Accessories | 19 |
| Fence Staples | 20 |

The RED BRAND family of fence

REDBRAND

RB

Established Reputation.

Since 1889, Red Brand fence has stood guard protecting American farms, ranches and livestock. With the most complete line of fencing solutions, produced at the highest quality, Red Brand is an American fence tradition.

REDBRAND

EL

EXTENDED LIFE

Building On Tradition.

Red Brand Extended Life fence products build on our tradition of excellence, offering a wide range of animal-confinement options. Strong **Class 3** wire with heavy zinc coating increases the long life and durability for which Red Brand is known.

REDBRAND

HT

HIGH TENSILE

The Leading Lightweight Alternative.

Designed to confine cattle and other large livestock, our High Tensile products provide farmers and ranchers with a lightweight alternative to traditional fence. Combining high tensile wire with our **Class 3** coating makes Red Brand High Tensile fence your unmatched alternative for strength and life expectancy.


Sierra

Agricultural Fence**S**

Matching a lighter gauge with our commercial galvanized coating, Sierra is the perfect choice for price-conscious consumers who still require top quality.


Red Brand Fence Knots

Many heavy-gauge wire fence styles are made by “tying” sections of wire together with knots. Red Brand Fence uses three types of knots, each with a specific advantage.



Monarch® Knot

The Monarch Knot acts as a hinge that gives under pressure, then allows the fence to spring back into shape.



Square Deal® Knot

The construction of the Square Deal Knot prevents Red Brand fence from buckling or sagging. It provides extra strength and rigidity with flexibility for ideal installation over hilly terrain.




Cross Lock® Knot

The Cross Lock Knot firmly affixes the fence wires together, providing superior resistance to movement from animal penetration or severe snowstorms.


Mesh Design

Red Brand fence is constructed by forming the wire into uniform patterns called “mesh.” Each design has been refined based on more than a century of experience and usage requirements.



Squared Mesh

The mesh is either “knotted” or welded to form square and rectangle patterns—used mostly with heavier gauge wire.



Netting


Lightweight wire is woven to form a hexagonal mesh. Red Brand uses a reverse weave allowing netting to unroll flat.

How to Read Red Brand Fence

Look for the style number, which is a quick description of the fence it classifies. Pull-out is the measure, in inches, of the distance between the vertical stay wires.


STYLE# **1047-6-9**

- 10** # Line wires
- 47** Height in inches
- 6** Pullout
- 9** Wire gauge




How to Gauge Your Fence

Red Brand fence is made from various gauges of wire—from very heavy to very light. The chart below shows you the size of each gauge (Ga) wire used in producing Red Brand fence. The larger the number, the smaller the wire.



Acreage Guide & Table

The diagram below and the table to the right can be used to calculate the number of rods and rolls of fence required to enclose fields of various sizes. Both are suggested guidelines using the square area to be fenced.



- 1 rod = 16 1/2 ft.
- 10 rods = 165 ft.
- 20 rods = 330 ft.
- 1/4 mile = 1,320 ft. or 80 rods
- 1/2 mile = 2,640 ft. or 160 rods
- 1 mile = 5,280 ft. or 320 rods


Galvanization Guide

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra Agricultural Fence** – Commercial galvanized wire
- CG** Red Brand **Commercial Galvanized** wire


Class 1 = .28 oz/ft² zinc coating Class 3 = .80 oz/ft² zinc coating
 Commercial galvanization = <.28 oz/ft² zinc coating

| Acres | Fence 330 ft. Rolls | Fence 100 ft. Rolls | Barb Wire 1320 ft. Rolls 1 Strand |
|-------|---------------------|---------------------|-----------------------------------|
| 1 | 3 | 9 | 1 |
| 2 | 4 | 12 | 1 |
| 3 | 5 | 15 | 1 |
| 4 | 5 | 17 | 2 |
| 5 | 6 | 19 | 2 |
| 6 | 7 | 21 | 2 |
| 7 | 7 | 22 | 2 |
| 8 | 8 | 24 | 2 |
| 9 | 8 | 25 | 2 |
| 10 | 8 | 26 | 2 |
| 11 | 8 | 28 | 2 |
| 12 | 9 | 29 | 3 |
| 13 | 10 | 31 | 3 |
| 14 | 10 | 31 | 3 |
| 15 | 10 | 33 | 3 |
| 16 | 11 | 34 | 3 |
| 17 | 11 | 35 | 3 |
| 18 | 11 | 36 | 3 |
| 19 | 11 | 37 | 3 |
| 20 | 12 | 38 | 3 |
| 25 | 13 | 42 | 4 |
| 30 | 14 | 46 | 4 |
| 35 | 15 | 50 | 4 |
| 40 | 16 | 53 | 4 |
| 45 | 17 | 56 | 5 |
| 50 | 18 | 60 | 5 |
| 55 | 19 | 62 | 5 |
| 60 | 20 | 65 | 5 |
| 65 | 21 | 68 | 6 |
| 70 | 22 | 70 | 6 |
| 75 | 22 | 75 | 6 |
| 80 | 23 | 75 | 6 |
| 85 | 24 | 77 | 6 |
| 90 | 24 | 80 | 6 |
| 95 | 25 | 82 | 7 |
| 100 | 26 | 84 | 7 |
| 105 | 26 | 86 | 7 |
| 110 | 27 | 88 | 7 |
| 115 | 28 | 90 | 7 |
| 120 | 28 | 92 | 7 |
| 125 | 28 | 94 | 7 |
| 150 | 31 | 103 | 8 |
| 175 | 34 | 111 | 8 |
| 200 | 36 | 118 | 9 |
| 225 | 38 | 126 | 10 |
| 250 | 40 | 132 | 10 |
| 275 | 42 | 139 | 11 |
| 300 | 44 | 145 | 11 |
| 325 | 46 | 151 | 12 |
| 350 | 48 | 157 | 12 |
| 375 | 49 | 162 | 13 |
| 400 | 51 | 167 | 13 |
| 425 | 53 | 173 | 13 |
| 450 | 54 | 177 | 14 |
| 475 | 56 | 182 | 14 |

FIELD FENCE



- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear



Monarch[®] Knot

| Style No. & Family | | Top & | | Pullout Spacing | Fence Height | Roll Length | Roll Weight | Res # | |
|--------------------|-----------|--------------|--------------|-----------------|--------------|-------------|-------------|-------|--|
| | | Filler Gauge | Bottom Gauge | | | | | | |
| 1047-6-9 | RB | 9 | 9 | 6 | 47" | 330' | 396 | 70003 | |
| 1047-12-9 | RB | 9 | 9 | 12 | 47" | 330' | 295 | 70015 | |
| 832-6-11 | RB | 11 | 9 | 6 | 32" | 330' | 210 | 70022 | |
| 939-6-11 | RB | 11 | 9 | 6 | 39" | 330' | 241 | 70024 | |
| 1047-6-11 | RB | 11 | 9 | 6 | 47" | 330' | 290 | 70027 | |
| 939-12-11 | RB | 11 | 9 | 12 | 39" | 330' | 185 | 70036 | |
| 1047-12-11 | RB | 11 | 9 | 12 | 47" | 330' | 208 | 70038 | |
| 726-6-12 1/2 | RB | 12 1/2 | 10 | 6 | 26" | 330' | 128 | 70041 | |
| 832-6-12 1/2 | RB | 12 1/2 | 10 | 6 | 32" | 330' | 148 | 70044 | |
| 939-6-12 1/2 | RB | 12 1/2 | 10 | 6 | 39" | 330' | 169 | 70046 | |
| 1047-6-12 1/2 | RB | 12 1/2 | 10 | 6 | 47" | 330' | 192 | 70048 | |
| 832-12-12 1/2 | RB | 12 1/2 | 10 | 12 | 32" | 330' | 116 | 77349 | |
| 939-12-12 1/2 | RB | 12 1/2 | 10 | 12 | 39" | 330' | 131 | 70063 | |
| 1047-12-12 1/2 | RB | 12 1/2 | 10 | 12 | 47" | 330' | 146 | 70065 | |
| 832-6-14 1/2 | RB | 14 1/2 | 11 | 6 | 32" | 330' | 90 | 70070 | |
| 939-6-14 1/2 | RB | 14 1/2 | 11 | 6 | 39" | 330' | 102 | 70072 | |
| 1047-6-9 | EL | 9 | 9 | 6 | 47" | 330' | 417 | 75216 | |
| 1047-6-11 | EL | 11 | 9 | 6 | 47" | 330' | 289 | 75048 | |
| 939-6-14 1/2 | HT | 14 1/2 | 12 1/2 | 6 | 39" | 330' | 98 | 70091 | |
| 1047-6-14 1/2 | HT | 14 1/2 | 12 1/2 | 6 | 47" | 330' | 111 | 70092 | |
| 939-6-12 1/2 | HT | 12 1/2 | 10 1/2 | 6 | 39" | 330' | 174 | 70093 | |
| 1047-6-12 1/2 | HT | 12 1/2 | 10 1/2 | 6 | 47" | 330' | 198 | 70094 | |

Field Fence (Specialty Spacing) - Monarch Knot

| | | | | | | | | | |
|----------|-----------|----|---|---|-----|------|-----|-------|--|
| 842-9-11 | RB | 11 | 9 | 9 | 42" | 330' | 193 | 71030 | |
| 948-9-11 | RB | 11 | 9 | 9 | 48" | 330' | 217 | 71031 | |



Sierra Field Fence - Monarch Knot

| | | | | | | | | | |
|---------------|----------|--------|--------|---|-----|------|-----|-------|--|
| 1047-6-11 1/2 | S | 11 1/2 | 9 1/2 | 6 | 47" | 330' | 250 | 72761 | |
| 939-6-13 | S | 13 | 10 1/2 | 6 | 39" | 330' | 151 | 72703 | |
| 1047-6-13 | S | 13 | 10 1/2 | 6 | 47" | 330' | 173 | 72704 | |


- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra** Agricultural Fence – Commercial galvanized wire



FIELD FENCE



- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear



Square Deal® Knot

| Style No. & Family | | Top & | | Pullout Spacing | Fence Height | Roll Length | Roll Weight | Res # |
|-----------------------|-----------|--------------|--------------|-----------------|--------------|-------------|-------------|-------|
| | | Filler Gauge | Bottom Gauge | | | | | |
| 939-12-9 | RB | 9 | 9 | 12 | 39" | 330' | 248 | 70188 |
| 1047-12-9 | RB | 9 | 9 | 12 | 47" | 330' | 281 | 70190 |
| 832-6-11 | RB | 11 | 9 | 6 | 32" | 330' | 196 | 70195 |
| 939-6-11 | RB | 11 | 9 | 6 | 39" | 330' | 225 | 70196 |
| 1047-6-11 | RB | 11 | 9 | 6 | 47" | 330' | 256 | 70197 |
| 939-12-11 | RB | 11 | 9 | 12 | 39" | 330' | 177 | 70202 |
| 1047-12-11 | RB | 11 | 9 | 12 | 47" | 330' | 199 | 70203 |
| 832-6-12 1/2 | RB | 12 1/2 | 10 | 6 | 32" | 330' | 138 | 70205 |
| 939-6-12 1/2 | RB | 12 1/2 | 10 | 6 | 39" | 330' | 158 | 70206 |
| 1047-6-12 1/2 | RB | 12 1/2 | 10 | 6 | 47" | 330' | 179 | 70207 |
| 1047-6-12 1/2 | HT | 12 1/2 | 10 | 6 | 47" | 330' | 189 | 71315 |
| 1047-12-12 1/2 | HT | 12 1/2 | 10 | 12 | 47" | 330' | 149 | 71322 |

Field Fence (Specialty Spacing) - Square Deal Knot

| | | | | | | | | |
|-----------------|-----------|---|---|----|-----|------|-----|-------|
| 949-12-9 | RB | 9 | 9 | 12 | 49" | 330' | 264 | 70189 |
|-----------------|-----------|---|---|----|-----|------|-----|-------|

KING RANCH® Fence - Square Deal Knot

| | | | | | | | | |
|-----------------|-----------|---|---------|----|-----|------|-----|-------|
| 949-12-9 | EL | 9 | 6T 9B | 12 | 49" | 330' | 288 | 70230 |
| 949-12-9 | EL | 9 | 6T 9B | 12 | 49" | 660' | 576 | 70233 |

Sierra Field Fence - Square Deal Knot

| | | | | | | | | |
|------------------|----------|----|--------|---|-----|------|-----|-------|
| 939-6-13 | S | 13 | 10 1/2 | 6 | 39" | 330' | 157 | 70220 |
| 1047-6-13 | S | 13 | 10 1/2 | 6 | 47" | 330' | 166 | 70222 |


- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra** Agricultural Fence – Commercial galvanized wire



FIELD FENCE




- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear



Cross Lock[®] Knot

| Style No. & Family | | Top & Bottom Gauge | | Pullout Spacing | Fence Height | Roll Length | Roll Weight | Res # |
|----------------------|-----------|--------------------|--------------|-----------------|--------------|-------------|-------------|-------|
| | | Filler Gauge | Bottom Gauge | | | | | |
| 842-16-9 3/4 | RB | 9 3/4 | 9 3/4 | 16 | 42" | 330' | 182 | 78210 |
| 948-16-9 3/4 | RB | 9 3/4 | 9 3/4 | 16 | 48" | 330' | 203 | 78200 |
| 842-16-9 3/4 | RB | 9 3/4 | 9 3/4 | 16 | 42" | 660' | 358 | 78220 |
| 948-16-9 3/4 | RB | 9 3/4 | 9 3/4 | 16 | 48" | 660' | 405 | 78230 |
| 948-16-9 3/4 | EL | 9 3/4 | 9 3/4 | 16 | 48" | 330' | 201 | 78202 |
| 948-16-9 3/4 | EL | 9 3/4 | 9 3/4 | 16 | 48" | 660' | 402 | 78203 |
| 842-12-12 1/2 | HT | 12 1/2 | 12 1/2 | 12 | 42" | 330' | 106 | 78232 |
| 949-12-12 1/2 | HT | 12 1/2 | 12 1/2 | 12 | 49" | 330' | 128 | 78204 |
| 842-12-12 1/2 | HT | 12 1/2 | 12 1/2 | 12 | 42" | 660' | 223 | 78234 |
| 949-12-12 1/2 | HT | 12 1/2 | 12 1/2 | 12 | 49" | 660' | 255 | 78236 |



RB Red Brand **Tradition** – Class 1 galvanized wire

EL Red Brand **Extended Life** – Class 3 galvanized wire

HT Red Brand **High Tensile** – Class 3 galvanized wire



HORSE FENCE




Non-Climb



Keepsafe®

- Non-Climb fence with a 2" x 4" mesh spacing prevents stepping through and uses the smooth side of Square Deal® Knot to protect hides from injury
- Keepsafe® fence uses a diamond mesh weave to prevent hooves or legs from becoming caught in the fence
- Quality galvanized wire with durable zinc coating resists weathering as well as wear and tear
- Easy to install on flat or hilly terrain
- Strong mesh design minimizes potential for injury by flexing on impact




Non-Climb Horse Fence

features 2" x 4" mesh pattern
with Square Deal® Knot

| Style No. & Family | | Top & | | Pullout Spacing | Fence Height | Roll Length | Roll Weight | Res # |
|--------------------|-----------|--------------|--------------|-----------------|--------------|-------------|-------------|-------|
| | | Filler Gauge | Bottom Gauge | | | | | |
| 1036-2-12 ½ | RB | 12 ½ | 10 | 2 | 36" | 100' | 92 | 70301 |
| 1348-2-12 ½ | RB | 12 ½ | 10 | 2 | 48" | 100' | 120 | 70310 |
| 1660-2-12 ½ | RB | 12 ½ | 10 | 2 | 60" | 100' | 148 | 70314 |
| 1972-2-12 ½ | RB | 12 ½ | 10 | 2 | 72" | 100' | 177 | 70318 |
| 1348-2-12 ½ | RB | 12 ½ | 10 | 2 | 48" | 200' | 240 | 70312 |
| 1660-2-12 ½ | RB | 12 ½ | 10 | 2 | 60" | 200' | 296 | 70316 |
| 1348-2-12 ½ | RB | 12 ½ | 10 | 2 | 48" | 330' | 396 | 70382 |
| 1348-2-12 ½ | EL | 12 ½ | 10 | 2 | 48" | 100' | 122 | 70370 |
| 1660-2-12 ½ | EL | 12 ½ | 10 | 2 | 60" | 100' | 151 | 70374 |
| 1348-2-12 ½ | EL | 12 ½ | 10 | 2 | 48" | 200' | 240 | 70342 |
| 1660-2-12 ½ | EL | 12 ½ | 10 | 2 | 60" | 200' | 296 | 70346 |
| 1348-2-12 ½ | EL | 12 ½ | 10 | 2 | 48" | 330' | 391 | 70384 |

Black Non-Climb Horse Fence - Square Deal Knot

| | | | | | | | | |
|--------------------|-----------|------|----|---|-----|------|-----|-------|
| 1348-2-12 ½ | RB | 12 ½ | 10 | 2 | 48" | 200' | 251 | 70380 |
|--------------------|-----------|------|----|---|-----|------|-----|-------|



Keepsafe® Horse Fence

features Diamond Mesh Weave

| Style No. & Family | | Horizontal Gauge | Vertical Gauge | Line Wires | Roll Length | Roll Weight | Res # |
|--------------------|-----------|------------------|----------------|------------|-------------|-------------|-------|
| 50" Height | RB | 12 ½ | 14 | 13 | 165' | 250 | 77855 |
| 58" Height | RB | 12 ½ | 14 | 15 | 165' | 294 | 77856 |
| 50" Height | RB | 12 ½ | 14 | 13 | 330' | 500 | 77816 |
| 50" Height | EL | 12 ½ | 14 | 13 | 165' | 256 | 76175 |
| 58" Height | EL | 12 ½ | 14 | 15 | 165' | 301 | 76180 |
| 50" Height | EL | 12 ½ | 14 | 13 | 330' | 511 | 77818 |

RB Red Brand **Tradition** – Class 1 galvanized wire

EL Red Brand **Extended Life** – Class 3 galvanized wire

HT Red Brand **High Tensile** – Class 3 galvanized wire



SHEEP & GOAT FENCE

(Ideal for use as perimeter fence)




Sheep & Goat




Perimeter

- 4" x 4" mesh provides strong confinement and deters animals from putting their heads through the fence
- Smooth side of Square Deal® Knot prevents injury to animal
- Strong mesh design minimizes potential for injury by flexing on impact
- Quality galvanized wire resists weathering as well as wear and tear
- Offers secure protection from predatory animals
- Easy to install on flat or hilly terrain



Square Deal® Knot

| Style No. & Family | | Filler Gauge | Top & Bottom Gauge | | Pullout Spacing | Fence Height | Roll Length | Roll Weight | Res # |
|--------------------|-----------|--------------|--------------------|---|-----------------|--------------|-------------|-------------|-------|
| | | | | | | | | | |
| 1348-4-12 ½ | RB | 12 ½ | 10 | 4 | 48" | 100' | 79 | 70305 | |
| 1348-4-12 ½ | RB | 12 ½ | 10 | 4 | 48" | 330' | 261 | 70315 | |
| 1348-4-12 ½ | EL | 12 ½ | 10 | 4 | 48" | 100' | 81 | 70303 | |
| 1348-4-12 ½ | EL | 12 ½ | 10 | 4 | 48" | 330' | 263 | 70309 | |



DEER & WILDLIFE FENCE




Deer & Wildlife





Deer & Orchard

- Wildlife fence ensures that valuable herds and/or orchards are protected both inside and out
- All-terrain fencing ideal for flat or rolling, hilly areas
- Deer & Wildlife Fence features the Cross Lock® Knot to provide superior resistance to movement from animal penetration or climbing and from severe snowstorms
- Deer & Orchard Fence uses the Monarch® Knot as a hinge under pressure, allowing the fence to spring back into shape
- Galvanized wire resists weathering as well as wear and tear



Cross Lock® Knot

| Style No. & Family | Filler Gauge | Top & Bottom Gauge | Pullout Spacing | Fence Height | Roll Length | Roll Weight | Res # | |
|--------------------|--------------|--------------------|-----------------|--------------|-------------|-------------|-------|-------|
| 2096-6-12 ½ | HT | 12 ½ | 12 ½ | 6 | 96" | 330' | 414 | 78206 |



Deer & Orchard Fence with Monarch® Knot

| Style No. & Family | Filler Gauge | Top & Bottom Gauge | Pullout Spacing | Fence Height | Roll Length | Roll Weight | Res # | |
|--------------------|--------------|--------------------|-----------------|--------------|-------------|-------------|-------|-------|
| 2048-6-14 ½ | RB | 14 ½ | 11 | 6 | 48" | 165' | 87 | 70250 |
| 2360-6-14 ½ | RB | 14 ½ | 11 | 6 | 60" | 165' | 101 | 75513 |
| 2672-6-14 ½ | RB | 14 ½ | 11 | 6 | 72" | 165' | 115 | 70253 |

BARBED WIRE & ELECTRIC FENCE WIRE



Barbed Wire & Fence Stays




Electric Fence

Barbed Wire

- Sharp points for effective fencing
- Strong barbs resist bending
- Twisted-cable design

Electric Fence Wire

- Ideal for changeable environment operations
- Easily add extra security to existing systems
- Quality galvanized wire resists rust and corrosion
- Available in handy dispensing spools



2-Point & 4-Point Barb Styles

| Style No. & Family | Wire Gauge | Barb Style | Barb Spacing | Reel Length | Reel Weight | Res # |
|--------------------------------------|------------|------------|--------------|-------------|-------------|-------|
| 50 Defender RB | 12 ½ | 2 Pt. | 4" | 1320' | 78 | 70476 |
| 80 Ruthless RB | 12 ½ | 4 Pt. | 5" | 1320' | 83 | 70481 |
| 4-Pt. Extended Life EL | 12 ½ | 4 Pt. | 5" | 1320' | 83 | 75078 |
| 2-Pt. High Tensile HT | 15 ½ | 2 Pt. | 5" | 1320' | 44 | 85564 |
| 4-Pt. High Tensile HT | 15 ½ | 4 Pt. | 5" | 1320' | 42 | 72600 |
| 2-Pt. Sierra S | 12 ½ | 2 Pt. | 4" | 1320' | 69 | 85584 |
| 4-Pt. Sierra S | 12 ½ | 4 Pt. | 5" | 1320' | 75 | 85581 |
| Barbless Cable RB | 12 ½ | – | – | 1320' | 70 | 70523 |

Fence Stays

| Style No. & Family | Wire Gauge | Stay Height | Stay Weight | Res # |
|----------------------------------|------------|-------------|-------------|-------|
| 36" Fence Stays RB | 9 ½ | 36" | 0.4 | 74744 |
| 42" Fence Stays RB | 9 ½ | 42" | 0.4 | 74747 |
| 48" Fence Stays RB | 9 ½ | 48" | 0.4 | 74752 |

Electric Fence Wire

| Style No. & Family | Wire Gauge | Spool Length | Spool Weight | Res # |
|-----------------------------|------------|--------------|--------------|-------|
| Galvanized CG | 14 | ¼ Mile | 22 | 85610 |
| Galvanized CG | 14 | ½ Mile | 44 | 85611 |
| Galvanized CG | 17 | ¼ Mile | 10 | 85612 |
| Galvanized CG | 17 | ½ Mile | 20 | 85617 |

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra** Agricultural Fence – Commercial galvanized wire
- CG** Red Brand Commercial Galvanized wire



SMOOTH WIRE



High-Tensile Smooth Wire

- Suitable to enclose livestock and pastures
- Effective, dependable, low cost fencing solution
- Class 3 galvanized wire has a heavy zinc coating for long life and durability
- Can be electrified when needed

Galvanized and Black Annealed Smooth Wire

- Multiple applications around home, shop and farm
- Single-strand wire ideal for bundling and tying
- Great for hanging tools and other household chores

Baler Wire

- Used in agricultural and commercial tie balers
- Packaged in a heavy-duty corrugated box with center punch for easy dispensing

Ty Wire for Rebar

- Pliable and easy to twist, but strong enough to make firm ties for concrete reinforcement bars
- Special center hole of coil is semi-square with rounded corners to slip quickly onto standard dispensing unit

High-Tensile, Galvanized & Black Annealed

| Style No. & Family | Wire Gauge | Coil Length | Coil Weight | Res # |
|------------------------------|------------|-------------|-------------|-------|
| 170,000 PSI HT | 12 ½ | 4000' | 104 | 74002 |
| 200,000 PSI HT | 12 ½ | 4000' | 104 | 74051 |
| Galvanized CG | 9 | 170' | 10 | 73428 |
| Galvanized CG | 10 | 205' | 10 | 73439 |
| Galvanized CG | 11 | 257' | 10 | 73447 |
| Galvanized CG | 12 ½ | 381' | 10 | 73461 |
| Galvanized CG | 14 | 584' | 10 | 73468 |
| Galvanized CG | 16 | 958' | 10 | 73483 |
| Galvanized CG | 9 | 425' | 25 | 73430 |
| Galvanized CG | 14 | 1461' | 25 | 73471 |
| Galvanized CG | 9 | 1701' | 100 | 73432 |
| Galvanized CG | 10 | 2053' | 100 | 73443 |
| Galvanized CG | 11 | 2577' | 100 | 73451 |
| Galvanized CG | 12 ½ | 3817' | 100 | 73464 |
| Galvanized CG | 14 | 5846' | 100 | 73473 |
| Galvanized CG | 16 | 9580' | 100 | 73487 |
| Black Annealed | 9 | 170' | 10 | 73365 |
| Black Annealed | 12 ½ | 381' | 10 | 73387 |
| Black Annealed | 9 | 1701' | 100 | 73368 |
| Black Annealed | 10 | 2053' | 100 | 73372 |
| Black Annealed | 11 | 2577' | 100 | 73377 |
| Black Annealed | 12 ½ | 3817' | 100 | 73389 |
| Black Annealed | 14 | 5946' | 100 | 73396 |
| Black Annealed | 16 | 9580' | 100 | 73404 |

Baler Wire

| | | | | |
|-----------------------|------|-------|-----|-------|
| Black Annealed | 14 ½ | 6500' | 100 | 72690 |
|-----------------------|------|-------|-----|-------|

Ty Wire for Rebar

| | Wire Gauge | Spool Length | Spool Weight | Spools per Carton | Carton Weight | Res # |
|-----------------------------|------------|--------------|--------------|-------------------|---------------|-------|
| Galvanized CG | 16 | 336' | 3.5 | 20 | 70 | 77536 |
| Black Annealed | 16 | 336' | 3.5 | 20 | 70 | 71572 |

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- CG** Red Brand **Commercial Galvanized** wire




STOCKADE PANELS



- Meets the demands of busy farms and ranches
- Unmatched strength and durability stands up well to animal pressure and weight
- Available in several styles and weight to match your specific animal confinement needs

| Style No. & Family | | Wire Gauge | Panel Height | Panel Length | Panel Weight | Res # | |
|----------------------------------|-----------|------------|--------------|--------------|--------------|-------|--|
| 1134-8-¼ Hog | CG | ¼" | 34" | 16' | 41 | 90213 | |
| 1152-8-¼ Cattle | CG | ¼" | 52" | 16' | 47 | 90832 | |
| 1052-8-¼ Ranch | CG | ¼" | 52" | 16' | 45 | 91757 | |
| 1452-8-¼ Combo | CG | ¼" | 52" | 16' | 55 | 90214 | |
| 1352-8-¼ Econo | CG | ¼" | 52" | 16' | 53 | 90575 | |
| 1134-8-4 Hog | S | 4 | 34" | 16' | 30 | 90215 | |
| 1052-8-4 Ranch | S | 4 | 52" | 16' | 33 | 94915 | |
| 1352-8-4 Econo | S | 4 | 52" | 16' | 38 | 90216 | |
| 1050-8-4 Ranch | S | 4 | 50" | 16' | 32 | 94913 | |
| 1348-4-4 Sheep & Goat | S | 4 | 48" | 16' | 50 | 90406 | |
| 1660-2-6 Horse | S | 6 | 60" | 16' | 73 | 90230 | |




- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra** Agricultural Fence – Commercial galvanized wire
- CG** Red Brand Commercial Galvanized wire



POULTRY NETTING




- Ideal for poultry and pet pens
- Can be used as pest-resistant garden barriers
- Provides predator-proof protection for domestic fowl and gardens
- Hexagon mesh design is reinforced with supplemental horizontal wires to keep netting straight and upright
- 20-gauge wire is galvanized before weaving to last longer, resisting rust and corrosion
- Reverse twist weave unrolls flat, ensuring easier handling



1" Hexagonal Pattern

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # |
|--|------------|--------------|-------------|-------------|-------------|-------|
| 412-1-20 CG | 20 | 1" | 12" | 150' | 16 | 73745 |
| 418-1-20 CG | 20 | 1" | 18" | 150' | 23 | 73754 |
| 424-1-20 CG | 20 | 1" | 24" | 150' | 30 | 73764 |
| 430-1-20 CG | 20 | 1" | 30" | 150' | 37 | 73775 |
| 436-1-20 CG | 20 | 1" | 36" | 150' | 44 | 73784 |
| 548-1-20 CG | 20 | 1" | 48" | 150' | 59 | 73793 |
| 660-1-20 CG | 20 | 1" | 60" | 150' | 73 | 73801 |
| 772-1-20 CG | 20 | 1" | 72" | 150' | 88 | 73808 |
| 412-1-20 CG | 20 | 1" | 12" | 50' | 5 | 79512 |
| 418-1-20 CG | 20 | 1" | 18" | 50' | 8 | 80875 |
| 424-1-20 CG | 20 | 1" | 24" | 50' | 10 | 78731 |
| 436-1-20 CG | 20 | 1" | 36" | 50' | 15 | 79513 |
| 548-1-20 CG | 20 | 1" | 48" | 50' | 20 | 78711 |
| 660-1-20 CG | 20 | 1" | 60" | 50' | 24 | 78704 |
| 772-1-20 CG | 20 | 1" | 72" | 50' | 29 | 78705 |



2" Hexagonal Pattern

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # |
|--|------------|--------------|-------------|-------------|-------------|-------|
| 418-2-20 CG | 20 | 2" | 18" | 150' | 12 | 73823 |
| 424-2-20 CG | 20 | 2" | 24" | 150' | 15 | 73831 |
| 436-2-20 CG | 20 | 2" | 36" | 150' | 22 | 73847 |
| 548-2-20 CG | 20 | 2" | 48" | 150' | 29 | 73857 |
| 660-2-20 CG | 20 | 2" | 60" | 150' | 36 | 73866 |
| 772-2-20 CG | 20 | 2" | 72" | 150' | 43 | 73874 |
| 424-2-20 CG | 20 | 2" | 24" | 50' | 5 | 78706 |
| 436-2-20 CG | 20 | 2" | 36" | 50' | 7 | 78926 |
| 548-2-20 CG | 20 | 2" | 48" | 50' | 10 | 78707 |
| 660-2-20 CG | 20 | 2" | 60" | 50' | 12 | 78927 |
| 772-2-20 CG | 20 | 2" | 72" | 50' | 14 | 78925 |

- RB Red Brand **Tradition** – Class 1 galvanized wire
- EL Red Brand **Extended Life** – Class 3 galvanized wire
- HT Red Brand **High Tensile** – Class 3 galvanized wire
- CG Red Brand Commercial Galvanized wire



SPECIALTY APPLICATION



Yard, Garden & Kennel

Yard, Garden & Kennel


- 2" x 2" mesh safeguards yards, gardens, toddlers and pets
- Ideal for kennel fencing
- Economical alternative to chain-link fencing
- Strong yet lightweight makes fence easy to install
- Smooth side of Square Deal® Knot prevents injury to animal
- Tough 16-gauge wire has a bright galvanized finish that resists rust

Saltwater Netting

- Flexible netting ideal for crab pots, live wells and fish traps
- Resists corrosion while withstanding severe underwater elements or inclement above-ground weather
- Galvanized twice—before and after weaving

Apron Fence


- Special 12" hinged apron prevents animals from burrowing under the fence
- Sturdy construction for kennels and small animal pens
- Tough 17-gauge wire is woven into 1.5" hexagonal pattern
- Rust-resistant, galvanized wire can be buried under sod



Yard, Garden & Kennel

features 2" x 2" mesh pattern with Square Deal® Knot


| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # |
|----------------------------|------------|--------------|-------------|-------------|-------------|-------|
| 1936-2-16 RB | 16 | 2" x 2" | 36" | 50' | 25 | 72791 |
| 2548-2-16 RB | 16 | 2" x 2" | 48" | 50' | 33 | 72795 |
| 1936-2-16 RB | 16 | 2" x 2" | 36" | 100' | 51 | 70341 |
| 2548-2-16 RB | 16 | 2" x 2" | 48" | 100' | 66 | 70344 |
| 3160-2-16 RB | 16 | 2" x 2" | 60" | 100' | 83 | 70348 |
| 3772-2-16 RB | 16 | 2" x 2" | 72" | 100' | 104 | 70352 |



Saltwater Netting


1" and 1 1/2" Mesh Spacing

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # |
|------------------------------|------------|--------------|-------------|-------------|-------------|-------|
| 24-1-18 EL | 18 | 1" | 24" | 150' | 75 | 74182 |
| 24-1 1/2-18 EL | 18 | 1 1/2" | 24" | 150' | 47 | 74188 |
| 24-1-20 EL | 20 | 1" | 24" | 150' | 39 | 74193 |



Apron Fence

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # |
|------------------------------|------------|--------------|-------------|-------------|-------------|-------|
| 60-1 1/2-17 RB | 17 | 1 1/2" | 60" | 150' | 119 | 73660 |



12" Hinged Apron

RB Red Brand **Tradition** – Class 1 galvanized wire

EL Red Brand **Extended Life** – Class 3 galvanized wire


HT Red Brand **High Tensile** – Class 3 galvanized wire



UTILITY FENCE (Welded Wire)




- General purpose fencing offers strength and rigidity for a variety of outdoor projects
- Solid welded construction ensures a sturdy fence design
- Quality galvanized wire to resist weathering as well as wear and tear



2" x 4" Mesh Spacing

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # |
|---|------------|--------------|-------------|-------------|-------------|-------|
| 1036-2-12 ½ CG | 12 ½ | 2" x 4" | 36" | 100' | 74 | 74275 |
| 1348-2-12 ½ CG | 12 ½ | 2" x 4" | 48" | 100' | 98 | 74278 |
| 1660-2-12 ½ CG | 12 ½ | 2" x 4" | 60" | 100' | 122 | 74282 |
| 1972-2-12 ½ CG | 12 ½ | 2" x 4" | 72" | 100' | 146 | 74284 |
| 1036-2-14 CG | 14 | 2" x 4" | 36" | 100' | 47 | 84066 |
| 1348-2-14 CG | 14 | 2" x 4" | 48" | 100' | 62 | 84067 |
| 1660-2-14 CG | 14 | 2" x 4" | 60" | 100' | 77 | 70081 |
| 1972-2-14 CG | 14 | 2" x 4" | 72" | 100' | 92 | 84068 |
| 2698-2-14 CG | 14 | 2" x 4" | 98" | 100' | 126 | 73020 |
| 1036-2-12 ½ CG | 12 ½ | 2" x 4" | 36" | 50' | 38 | 74274 |
| 1348-2-12 ½ CG | 12 ½ | 2" x 4" | 48" | 50' | 49 | 74277 |
| 1660-2-12 ½ CG | 12 ½ | 2" x 4" | 60" | 50' | 62 | 74281 |
| 1972-2-12 ½ CG | 12 ½ | 2" x 4" | 72" | 50' | 73 | 74283 |
| 1036-2-14 CG | 14 | 2" x 4" | 36" | 50' | 24 | 70946 |
| 1348-2-14 CG | 14 | 2" x 4" | 48" | 50' | 31 | 70947 |
| 1660-2-14 CG | 14 | 2" x 4" | 60" | 50' | 39 | 70948 |
| 1972-2-14 CG | 14 | 2" x 4" | 72" | 50' | 46 | 70949 |




1" x 2" Mesh Spacing

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # |
|---|------------|--------------|-------------|-------------|-------------|-------|
| 1936-1-14 CG | 14 | 1" x 2" | 36" | 50' | 46 | 74302 |
| 2548-1-14 CG | 14 | 1" x 2" | 48" | 50' | 62 | 74303 |

WELDED WIRE




- Provides a versatile, low-cost material for fencing needs
- Suitable for a wide variety of animal cage applications
- Quality galvanized wire resists weathering
- Standard 100' rolls are available in a wide variety of styles and gauges to meet the needs of the job



1" x 1" Mesh Spacing

14 & 16 Gauge

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # | |
|--------------------|--------------|--------------|-------------|-------------|-------------|-------|--|
| 2524-1-14 | CG 14 | 1" x 1" | 24" | 100' | 87 | 77474 | |
| 3736-1-14 | CG 14 | 1" x 1" | 36" | 100' | 130 | 77476 | |
| 4948-1-14 | CG 14 | 1" x 1" | 48" | 100' | 174 | 77477 | |
| 2524-1-16 | CG 16 | 1" x 1" | 24" | 100' | 50 | 77486 | |
| 3736-1-16 | CG 16 | 1" x 1" | 36" | 100' | 75 | 77488 | |
| 4948-1-16 | CG 16 | 1" x 1" | 48" | 100' | 101 | 77489 | |



1" x 2" Mesh Spacing


14 Gauge

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # | |
|--------------------|--------------|--------------|-------------|-------------|-------------|-------|--|
| 1018-1-14 | CG 14 | 1" x 2" | 18" | 100' | 48 | 77462 | |
| 1324-1-14 | CG 14 | 1" x 2" | 24" | 100' | 64 | 77463 | |
| 1630-1-14 | CG 14 | 1" x 2" | 30" | 100' | 79 | 77464 | |
| 1936-1-14 | CG 14 | 1" x 2" | 36" | 100' | 95 | 77465 | |
| 2548-1-14 | CG 14 | 1" x 2" | 48" | 100' | 126 | 77466 | |
| 3160-1-14 | CG 14 | 1" x 2" | 60" | 100' | 157 | 77467 | |
| 3772-1-14 | CG 14 | 1" x 2" | 72" | 100' | 188 | 77468 | |

WELDED WIRE




- Provides a versatile, low-cost material for fencing needs
- Suitable for a wide variety of animal cage applications
- Quality galvanized wire resists weathering
- Standard 100' rolls are available in a wide variety of styles and gauges to meet the needs of the job



1/2" x 1" Mesh Spacing

16 Gauge

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # |
|---|------------|--------------|-------------|-------------|-------------|-------|
| 1918-1-16 CG | 16 | 1/2" x 1" | 18" | 100' | 57 | 77481 |
| 2524-1-16 CG | 16 | 1/2" x 1" | 24" | 100' | 76 | 77475 |
| 3130-1-16 CG | 16 | 1/2" x 1" | 30" | 100' | 95 | 77478 |
| 3736-1-16 CG | 16 | 1/2" x 1" | 36" | 100' | 114 | 77479 |
| 4948-1-16 CG | 16 | 1/2" x 1" | 48" | 100' | 151 | 77480 |





2" x 2" Mesh Spacing

12, 14 & 16 Gauge

| Style No. & Family | Wire Gauge | Mesh Spacing | Roll Height | Roll Length | Roll Weight | Res # |
|--|------------|--------------|-------------|-------------|-------------|-------|
| 3160-2-12* CG | 12 | 2" x 2" | 60" | 100' | 278 | 77522 |
| 3160-2-14* CG | 14 | 2" x 2" | 60" | 100' | 156 | 77500 |
| 3160-2-16 CG | 16 | 2" x 2" | 60" | 150' | 84 | 77494 |

* Meets ASTM A185

FENCE POSTS & ACCESSORIES



Fence Posts

| Style No. & Family | Painted | Post Height | Post Weight | Res # |
|---|---------|-------------|-------------|-------|
| 5' Red Top - 1.25 lbs | Yes | 5' | 7 | 80153 |
| 5 ½' Red Top - 1.25 lbs | Yes | 5 ½' | 7 | 80168 |
| 6' Red Top - 1.25 lbs | Yes | 6' | 8 | 80161 |
| 6 ½' Red Top - 1.25 lbs | Yes | 6 ½' | 8 | 80170 |
| 7' Red Top - 1.25 lbs | Yes | 7' | 9 | 80174 |
| 8' Red Top - 1.25 lbs | Yes | 8' | 10 | 80179 |
| 5 ½' Red Top - 1.33 lbs | Yes | 5 ½' | 8 | 74839 |
| 6' Red Top - 1.33 lbs | Yes | 6' | 8 | 74840 |
| 6 ½' Red Top - 1.33 lbs | Yes | 6 ½' | 9 | 74841 |
| 7' Red Top - 1.33 lbs | Yes | 7' | 10 | 74842 |
| 6' Green / Gray Top - 1.25 lbs | Yes | 6' | 7.9 | 75553 |
| 6 ½' Green / Gray Top - 1.25 lbs | Yes | 6 ½' | 8.5 | 75554 |
| 7' Green / Gray Top - 1.25 lbs | Yes | 7' | 9.1 | 80763 |
| 48" Round Electric Fence Posts | Yes | 48" | 1.2 | 70345 |

Fence Accessories

| Style No. & Family | Painted | Product Length | Product Weight | Res # |
|---------------------------------|---------|----------------|----------------|-------|
| Post Driver with Handles | Yes | 30" | 17 | 79723 |
| T-Post Fasteners | No | — | — | 71756 |
| U-Brace | Yes | 9' | 18 | 75010 |

FENCE STAPLES





Toughcoat™ Premium Staples

- Zinc/Aluminum coating offers better protection against weathering than Class 3 galvanized coating
- Single- or double-barbed options with deep barbs and sharp points
- Meet or exceed ASTM A856/A856M standards

Barbless Fence Staples


- Sturdy 9-gauge wire with a 1/4" inside spread at the shoulder
- Sharp points drive easily into aged or weathered fence posts
- Uniform shank for easier driving



Toughcoat™ Premium

Single and Double Barbed Staples packaged in plastic buckets

| Style No. & Family | Size | Wire Gauge | Bucket Weight | Res # |
|----------------------|------|------------|---------------|-------|
| Single Barbed | 1 ¼" | 8 | 10 | 72204 |
| Double Barbed | 1 ½" | 8 | 10 | 72206 |
| Double Barbed | 1 ¾" | 8 | 10 | 72208 |
| Double Barbed | 2" | 8 | 10 | 72210 |
| Double Barbed | 2 ½" | 8 | 10 | 72212 |
| Single Barbed | 1 ¼" | 8 | 40 | 72214 |
| Double Barbed | 1 ½" | 8 | 40 | 72216 |
| Double Barbed | 1 ¾" | 8 | 40 | 72218 |
| Double Barbed | 2" | 8 | 40 | 72220 |
| Double Barbed | 2 ½" | 8 | 40 | 72222 |



Barbless Fence Staples

packaged in boxes

| Style No. & Family | Size | Wire Gauge | Box Weight | Res # |
|-------------------------------------|------|------------|------------|-------|
| Brite Staples | 1" | 9 | 50 | 72536 |
| Brite Staples | 1 ⅛" | 9 | 50 | 72537 |
| Brite Staples | 1 ¼" | 9 | 50 | 72538 |
| Brite Staples | 1 ½" | 9 | 50 | 72539 |
| Brite Staples | 1 ¾" | 9 | 50 | 72540 |
| Brite Staples | 2" | 9 | 50 | 72541 |
| Galvanized Staples RB | ¾" | 9 | 50 | 72561 |
| Galvanized Staples RB | 1" | 9 | 50 | 72573 |
| Galvanized Staples RB | 1 ¼" | 9 | 50 | 72575 |
| Galvanized Staples RB | 1 ½" | 9 | 50 | 72576 |
| Galvanized Staples RB | 1 ¾" | 9 | 50 | 72577 |
| Galvanized Staples RB | 2" | 9 | 50 | 72578 |
| Galvanized Staples RB | 2 ½" | 9 | 50 | 80498 |

RB Red Brand **Tradition** – Class 1 galvanized wire

EL Red Brand **Extended Life** – Class 3 galvanized wire

HT Red Brand **High Tensile** – Class 3 galvanized wire





To view installation information
and videos, please visit us at:
www.redbrand.com/installation

Standing guard since 1889.™

RED BRAND®
www.redbrand.com